

INDEX MAPS.

T. 38 N, R. 2 W. 2nd Mer.

	6	5	4	3	2	1
	<i>N. Bound^y of Indiana</i>					
341	7	8	9	10	11	12
	359	354	351	348	344	339
	359	359	354	351	347	344
341	18	17	16	15	14	13
	358	354	350	347	344	338
	358	357	353	350	347	343
340	19	20	21	22	23	24
	357	353	349	346	343	338
	357	356	352	349	346	343
339	30	29	28	27	26	25
	356	352	349	345	342	337
	355	355	352	348	345	342
339	31	32	33	34	35	36
	355	351	348	345	342	337
	336	336	335	335	334	334

Meanders 360

T. 29 N, R. 3 W. 2nd Mer.

	370	370	370	369	369	368
373	6	5	4	3	2	1
	395	389	385	381	377	368
	395	394	389	385	381	377
372	7	8	9	10	11	12
	394	389	385	381	376	368
	394	393	388	384	380	376
372	18	17	16	15	14	13
	393	388	384	380	375	367
	393	392	388	384	379	375
372	19	20	21	22	23	24
	392	387	383	379	375	367
	392	391	387	383	379	374
371	30	29	28	27	26	25
	391	387	383	378	374	367
	390	386	382	378	374	371
371	31	32	33	34	35	36
	390	386	382	377	373	366
	366	365	365	364	364	364

Meanders 396

Township 29 North Range 3 West, 2nd Mer.

State of Indiana

South Boundary (Var. 5° 30' E.)

- West On the S. side of sec. 36, ^{500 yds. S. of N 52° W 13}
 14.13 To a G. Oak 20 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 20 in. dia. bears N 78° E 162 lks,
 & a Do. 12 " " " N 82° W 162 "
 46.38 To old meand. post on left bank of
 the Tippecanoe River cor. South,
 51.10 Leave the river,
 53.50 Leave the bottom of river,
 54.34 To old post on the right bank of river
 67.25 To a G. Oak 20 in. dia. in the line,
 79.50 To an Indian trail cor. S. W
 80.00 Set a post cor. to sec. 35 & 36 from wh.
 a G. Oak 18 in. dia. bears N 60° W 164 lks,
 & a Do. 24 " " " N 63° E 119 " dit,
 Land is rolling & pt. rate & the timber is white,

-
- West On the S. side of sec 35. T 29 N R 3 W
 16.42 To a G. Oak 10 in. dia. in the line,
 28.18 " " G. Oak 20 " " " " "
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 18 in. dia. bears N 74° E 37 lks,
 & a Do. 20 " " " N 57° W 24 1/2 " dit,
 45.35 To a G. Oak 10 " " in the line,
 50.00 Enter level & thinly timbered land
 80.00 Set a post cor. to sec. 34 & 35 from which
 a G. Oak 25 in. dia. bears N 49° E 66 1/2 lks. dit,
 & no other near. E 1/2 of this mile
 is rolling. W 1/2 level, soil good. Timber Oak,

-
- West On the S. side of sec. 34. T 29 N R 3 W.

T. 29 N. R. 3 W. 2. NW. 1/4.

6. L.
 18.00 Enter a wet prairie.
 30.00 Leave the same
 35.00 Enter a Do. - note. The old line is
 to be seen here, after which, it is not to be
 found, at any place on Remainder of line &
 the reason why it could not be found is
 that it was never run -
 59.00 Leave the wet prairie
 80.00 Set a post cor. to sec. 33 & 34 from which
 a G. Oak 12 in. dia. bears N 69 E 83 1/2 th. dist.
 & a Do. 20 " " " N 29 E 96 " "
 Land is flat & scattered Oak &c. -

- Next On the S. side of sec. 33, T. 29 N. R. 3 W.
 18.00 Enter a wet prairie
 29.00 Leave the same,
 39.50 Enter a Do.
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 20 in. dia. bears N 9 1/2 W 25 1/2 th.,
 & a W. Oak 10 " " " N 61 E 34 1/2 " dist.
 58.00 Leave the wet prairie
 70.00 Enter a wet prairie
 80.00 Set a post cor. to sec. 32 & 33 from which
 a W. Oak 20 in. dia. bears N 84 1/2 W 77 1/2 th. dist.,
 no other. - Land. low wet soil thin G. W. Oak

- Next On the S. side of sec. 32 T. 29 N. R. 3 W.
 8.00 Leave the wet prairie
 23.00 Enter a wet prairie
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 10 in. dia. bears West 80 1/2 th. dist.,
 no other tree.
 46.00 Leave the wet prairie

T. 29 N. R. 3 W. 2nd Mer. Ind.^a

6. S.

78.00 Enter a wet prairie

80.00 Set a post cor. to sec. 31 & 32 from wh.
 a W. Oak 30 in. dia. bears N 74° W 55.57 ths,
 & a Do. 28 " " " N 63° E 33.7 - " dist.
 Land &c. is much the same as before

West On the S. side of sec. 31. T. 29 N. R. 3 W
 22.00 Leave the wet prairie

40.00 Set the gr. sec. cor. post from which
 a G. Oak 20 in. dia. bears N 75° W 133 ths,
 & a Do. 12 " " " N 14° E 214 "

60.00 Enter a wet prairie

82.00 Set a post cor. Town 29 N. R. 3 W. 4 W.

a Br. Oak 10 in. dia. bears N 4° E 255 ths. dist.
 & a G. Oak 18 " " " N 4° E 300 " dist.
 Land level soil good & thinly timbered
 with Oak &c. Sec. 5th 1833. Note Var. 5° 30' E,
 on the last 3 1/2 miles. On the old line the corner
 varied as much as 2° in places. Consequently is
 any thing else but a straight line, (Sec. 5th 1833.)
 Surveyed by - Sylvester Sibley, D. S.

East Boundary. (Var. 5° 37' E.)

North On the E. side of Sec. 36 T. 29 N. R. 3 W

40.00 Set the gr. sec. cor. post from which
 a W. Oak 10 in. dia. bears N 6 1/2° W 52 ths. dist.,
 & a Hickory 10 " " " N - W 308 " "

64.25 To the left bank of Lippican river cor. N. W.
 a Maple 12 in. dia. bears N 40 1/2° E 40 ths. dist. &
 a G. Birch 10 " " " N 40 1/2° W 62 " "

68.80 Set post on the right bank of the river
 a G. Oak 18 in. dia. bears N 79° W 83 ths. dist.
 & a Do. 20 " " " N 43° E 53 " "

T. 29 N. R. 3 W. 2nd, Sec. 1, Ind^a,

Co. B,

80.00 Set a post cor. to sec. 35 & 36 from which
 a L. Oak 10 in. dia. bears S 49° W 149 lbs. dist
 & a Do. 10 " " " S 82° W 256 " "
 Land rolling & first rate timber 7. W. & B. Oak &c.

North On the E. side of sec. 35, T. 29 N. R. 3 W
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 30 in. dia. bears N 27° W 388 lbs. dist
 & a L. Oak 20 " " " S 8½° E 152 " "
 72.56 To a L. Oak 18 " " in the line,
 80.00 Set a post cor. to sec. 24 & 25 from which,
 a L. Oak 18 in. dia. bears N 72° W 34 lbs. dist,
 & a Do. 18 " " " S 29½° W 144 " "
 Land is rolling & 2nd rate & the timber
 is White & Yellow Oak &c.

North On the E. side of sec. 24 T. 29 R. 3
 4.37 To a L. Oak 20 in. dia. in the line,
 31.00 " a Birch 6 lbs. wide cor. E,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 10 in. dia. bears S 78° W 52 lbs.,
 & a Do. 20 " " " N 59° W 114 "
 45.75 To a L. Oak 18 " " in the line,
 71.00 To an Indian trail cor. N, E,
 80.00 Set a post cor. to sec. 13 & 14 from which
 a L. Oak 20 in. dia. bears N 39° W 45 lbs. dist,
 & a Do. 20 " " " S 31° E 44 " "
 Land &c. is same as on last mile,

North On the E. side of sec. 13, T. 29 R. 3
 40.00 Set the gr. sec. cor. post from which
 a L. Oak 12 in. dia. bears N 15° W 44 lbs. dist &
 & a W. Oak 8 " " " N 44° W 71 " "

T. 29 N. R. 3 W. 2nd Mer. (Ind.?)

- 6.6.
46.00 Entered a wet prairie
80.00 Set a post cor. to sec. 12 & 13 from wh.
a Y. Oak 28 in. dia. bears at $N 5 \frac{1}{2}^{\circ} W 7.63$ M. dia.
no other, thinly timbered with Oak &

- North On the E. side of sec. 12 T. 29 R. 3
6.00 Leave the wet prairie
40.00 Set the gr. sec. cor. post from which
a W. Oak 18 in. dia. bears $N 28^{\circ} W 105$ M. dia.
& a Do. 20 " " " at $N 85^{\circ} W 159$ " "
44.00 Entered a wet prairie
59.00 Leave the same,
80.00 Set a post cor. to sec. 1 & 12 from wh.
a W. Oak 12 in. dia. bears at $N 65^{\circ} W 37$ M. dia.
& a Do. 14 " " " at $N 44^{\circ} W 223$ " "
Land &c is same as on last mile,

- North On the E. side of sec. 1 T. 29 R. 3 W
1.00 Entered a wet prairie
40.00 Set the gr. sec. cor. post from which
a W. Oak 12 in. dia. bears at $N 6^{\circ} W 594$ M.
no other tree near
70.00 Leave the wet prairie
80.00 Set a tumpy town corner,
Land mostly wet prairie a few oaks,
Dec. 6th 1833, — (Var. $5^{\circ} 27' E.$)
Surveyed by Sylvester Sibley D. S.

- North Boundary, (Var. $5^{\circ} 20' E.$)
Met On the S. side of sec. 36 T. 30 N. R. 3 W
a W. Oak 20 in. dia. bears at $N 24^{\circ} W 460$ M. dia.
a Y. Oak 12 " " " at $N 6^{\circ} E 704$ " "
39.00 Leave the wet prairie

T. 29 N. R. 3 W. 2nd Mer. Ind.^a

Co. G.

- 40.00 Set the gr. sec., cor. post from which
a W. Oak 10 in. dia. bears N 28 E 65 th. dist,
La G. Oak 12 " " " N 80 W 49 " "
- 60.00 Entered a wet prairie
- 80.00 Set a post cor. sec. 35 & 36. from wh.,
a W. Oak 8 in. dia. bears N 75 E 85 th. dist,
La Do. 12 " " " N 88 E 72 " "
- Land is mostly wet prairie, soil poor
& the timber is Oak & very scattering

Next On the S. side of sec. 35. T 30 N R 3 W

- 24.00 Leave the wet prairie
- 40.00 Set the gr. sec., cor. post from which
a W. Oak 12 in. dia. bears N 11 W 32 th. dist,
La Do. 10 " " " N 23 W 59 " "
- 52.83 To a G. Oak 28 " " in the line,
- 54.00 Entered a wet prairie
- 80.00 Set a post cor. to sec. 34 & 35 from wh.,
a W. Oak 12 in. dia. bears N 77 E 153 th. dist,
La G. Oak 6 " " " N 52 E 78 " "
- Land is same as on last mile,

Next On the S. side of sec. 34. T 30 N R 3 W

- 28.00 Leave the wet prairie
- 40.00 Set the gr. sec., cor. post from which
a W. Oak 6 in. dia. bears N 6 E 37 th. dist,
Do. 12 " " " N 81 E 113 " "
- 66.00 Entered a wet prairie
- 79.00 Leave the same,
- 80.00 Set a post cor. to sec. 33 & 34 from wh.,
a G. Oak 6 in. dia. bears N 29 E 59 th.,
La Do. 8 " " " N 64 E 96 " "
- Land is same as on last mile,

T. 29 N. R. 3 W. 2nd Mer. Ind.^a

C. S.

West On the S. side of sec. 33 & 30 N. 3 W

15.00 Enter a wet prairie

39.00 Leave the same,

40.00 Set the gr. sec. cor. post from which
a W. Oak 14 in dia, bears N 4 W 51 the dist,
4 a G. Oak 20 " " " N 66 W 14 " "

42.00 Enter a wet prairie

80.00 Set a post cor. to sec. 32 & 33 from wh,
a G. Oak 18 in dia, bears N 47 E 64 1/2 the dist,
4 a Do. 14 " " " N 85 W 195 " "
Land &c. is same as on last mile,

West On the S. side of sec. 32, & 30 N. 3 W

1.00 Leave the wet prairie

8.00 Enter a wet prairie

40.00 Set the gr. sec. cor. post. & Rainier mound

80.00 Set a post cor. to sec. 31 & 32 from wh,
a G. Oak 10 in dia, bears N 39 E 56 1/2 the dist,
4 a Do. 12 " " " N 87 W 56 1/2 " "

Land is wet prairie & soil red? rated -

West On the S. side of sec. 31 & 30 N. 3 W

5.00 Leave the wet prairie

12.11 To a G. Oak 18 in dia, in the line

15.00 Enter a wet prairie

40.00 Set the Tr. sec. cor. post from which
a W. Oak 8 in dia, bears N 69 E 138 the dist,
4 a G. Oak 12 " " " N 74 W 269 " "

44.00 Leave the wet prairie

52.00 Enter a " Do,

81.72 To the W. boundary, 1030 the. South of
tumpy, post. & Set post. cor. of Long-
29 & 30 N. Range 3 & 4 W. from which

T. 29 N. R. 3 W, 2nd Mer. Ind.ⁿ

C. L. An Aspen 9 in. dia, bears N 65 E 186 ft. dia
 & a G. Oak 12 " " " S 31 W 379 " "
 Land's level & upon the timber is Oak &c
 Variation of needle found by observation
 at this corner, — (Var. 5° 35' E.)
 Dec. 8th 1833. — Surveyed by
 Sequester Sibley. Dep. Sur.

West Boundary. (Var. 5° 30' E.)

North On the E. side of sec. 36 T. 29 N. R. 4 W
 15.00 To a bend of creek 70 ft. wide on. S. W
 27.82 To a W. Oak 22 in. dia, in the line,
 40.00 Set the gr. sec. cor. post from which
 a Br. Oak 9 in. dia, bears N 27 W 78 ft. dia,
 & a Do. 9 " " " S 37 E 134 " "
 44.50 To a Creek 70 ft. wide on. S. W,
 55.00 " the same do, " " " S. E,
 71.00 Entered a wet prairie
 80.00 Set a post cor. to sec. 25 & 36 from wh
 a W. Oak 10 in. dia, bears N 27 W 245 ft.,
 & a Do. 20 " " " S 82 E 386 "
 Land level, soil good & the timber is
 W. G. & Br. Oak &c

North On the E. side of sec. 25, T. 29 N. R. 4 W
 2.00 Leave the wet prairie
 6.30 To a G. Oak 28 in. dia, in the line,
 33.00 Entered a wet prairie
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 20 in. dia, bears N 31 E 522 ft.,
 & a Do. 10 " " " N 65 E 568 "
 62.00 Leave the wet prairie
 74.00 To a G. Oak 18 in. dia, in the line,

372

T. 29 S. R. 3 W. 2nd Mer. 1st 1st

C. S.
 75.50 Enter a wet prairie,
 80.00 Set a post cor. to Secs. 24 & 25 from wh.,
 a W. Oak 28 in. dia. bears S 27° W 592 ft. dist.,
 & a Y. Oak 18 " " " South 498 " "
 Land & timber is much as before,

North On the E. side of sec. 24 T. 29 N. R. 4 W
 40.00 Set the gr. sec. cor. post from which
 a Y. Oak 18 in. dia. bears N 38½° E 463 ft.,
 & a Do. 14 " " " N 46° E 538 " dist.
 45.00 Leave the wet prairie
 50.00 Enter the same prairie
 60.00 Leave the same Do.
 68.00 Enter the same Do.
 80.00 Set a post cor. to secs. 13 & 24 from wh.,
 a W. Oak 10 in. dia. bears N 82° E 446 ft.,
 & Do. 28 " " " N 38° 3' W 593 "
 Land is mostly wet prairie, on the
 E. side Grand prairie. Timber some Oak,

North On the E. side of sec. 13 T. 29 N. R. 4 W
 31.00 Leave the wet prairie
 39.00 Enter a " " Do.
 40.00 Set the gr. sec. cor. post from which
 a Y. Oak 18 in. dia. bears N 80½° W 412 ft.,
 & a Do. 6 " " " S 37° W 155 "
 59.00 Leave the wet prairie
 80.00 Set a post cor. to secs. 12 & 13 from wh.,
 a Y. Oak 18 in. dia. bears N 44° W 42 ft. dist.,
 & a Do. 16 " " " S 28° W 16 " "
 Land &c. is same as on last mile,

North On the E. side of sec. 12 T. 29 N. R. 4 W

T. 29 N. R. 3 W. 2^d Mer. Ind.

6. L.
 22.31 To a W. Oak 10 in. dia, in the line,
 40.00 Set the Dr. sec., cor. post from which
 a Y. Oak 20 in. dia, bears S 66° W 30⁺ E 1/2 M. dia,
 & a W. Oak 10 " " " S 11° W 10° " "
 49.02 To a W. Oak 10 " " in the line,
 55.00 Enter a wet prairie
 80.00 Set a post cor. to sec. 1 & 12 from which
 a Y. Oak 10 in. dia, bears S 39° E 58° 45' M.,
 La Do. 8 " " " N 54° E 64° 45' "
 Land &c, is same as on last mile,

North On the E. side of sec. 1. T. 29 N. R. 4 W

- 21.00 Leave the wet prairie
 34.00 Enter a " Do,
 40.00 Set the gr. sec., cor. post from which
 a W. Oak 20 in. dia, bears S 89° W 27° 30' M.,
 & a Do. 10 " " " S 63° W 30° "
 80.00 Set tempy. town corner,
 Land is mostly wet prairie,
 (Var. 5° 30' E.) December 9th 1833. —
 Surveyed by - Sylvester Sibley, Dep. Sur.

Subdivisions, (Var. 5° 27' E.)

North Between sections 35 & 36

- 24.69 To a Br. Oak 20 in. dia, in the line
 40.00 Set the gr. sec., cor. post from which
 a Br. Oak 30 in. dia, bears S 65° E 25° 0' M.,
 La Do. 20 " " " S 59° E 26° 0' M. dia,
 54.77 To a Hickory 20 " " in the line,
 79.30 To a Creek 10 M. wide cor. E,
 80.00 Set a post cor. to sec. 25. 26. 35 & 36,
 a Br. Oak 20 in. dia, bears S 56° E 22° 7' M. dia,
 & a Br. Oak 18 " " " N 63° E 50° 7' " "

374

T. 29 N. R. 3 W. 2nd, New Ind^a,

6th Sec Land is second rate bearing Oak Hickory &c,

East On Random between sections 25 & 26
81.50 To the E. boundary. 144 M. S. of post,

West Correct the line between sec. 25 & 26
38.16 To a B. Oak 20 in. diam. in the line,
40.75 Set the gr. sec. cor. post from which
a B. Oak 20 in. diam. bears N 37 W 5.25 M.,
& a Do. 20 " " " S 46 W 47 "
44.01 To a B. Oak 20 " " in the line,
44.32 " " Do. 30 " " " " "
81.50 To the section corner,
Land 3rd rate bearing timber scarce
Br. B. & W. Oak &c &c

North Between sections 25 & 26,
25.62 To a B. Oak 18 in. diam. in the line,
38.88 " " W. Oak 15 " " " "
40.00 Set the gr. sec. cor. post from which
a W. Oak 15 in. diam. bears S 70 W 163 M.,
& a B. Oak 25 " " " S 52 E 140 "
72.18 To a Hickory 20 " " in the line,
80.00 Set a post cor. to sec. 23, 24, 25 & 26.
a W. Oak 18 in. diam. bears S 73 W 79 M. dist.,
& a B. Oak 20 " " " S 42 E 70 " "
Land well bearing. 19 May 1834

East On Random between sections 24 & 25
81.17 To the E. boundary. 125 M. S. of post

West Correct the line between sections 24 & 25
15.08 To a B. Oak 36 in. diam. in the line,

375

S. 29 N. R. 3 W. 2nd. New, Ind.

6. L.
 18.92 To a W. Oak 20 in. dia. in the line,
 40.58 $\frac{1}{2}$ Set the gr. sec. cor. post from which
 W. Oak 12 in. dia. bears S $\frac{1}{2}$ W 94 $\frac{1}{2}$ th. dist.,
 & a Do. 12 " " " S $14\frac{1}{2}$ E 93 " "
 74.40 To a W. Oak 18 " " in the line,
 81.17 To the sections corner, Land
 level dry bearing same W & B. Oak &c.
-

North Between sections 23 & 24

- 17.87 To a W. Oak 18 in. dia. in the line,
 40.00 Set the gr. sec. cor. post in pond
 a W. Oak 20 in. dia. bears N 9 E 63 $\frac{1}{2}$ th.,
 & a Hickory 18 " " " N 11 E 65 " "
 64.15 To a B. Oak 30 " " in the line,
 80.00 Set a post cor. to sec. 13, 14, 23 & 24
 a W. Oak 18 in. dia. bears S 27 E 42 th. dist.,
 & a Do. 12 " " " S $4\frac{1}{2}$ W 32 " "
 Land level with bearing & the timber
 is W. & B. Oak &c.
-

East On Random between sec. 13 & 24

- 80.47 To the E. line of sec. 67 th. S. of post,
-

West Correct the line between sections 13 & 24

- 40.23 $\frac{1}{2}$ Set the gr. sec. cor. post from which
 a W. Oak 24 in. dia. bears S 56 E 114 th. dist.,
 & a Do. 10 " " " S $47\frac{1}{2}$ W 139 " "
 80.47 To the sections corner,
 Land is level with bearing & groves
 of W. & B. Oak &c.
-

North Between sections 13 & 14

- 8.10 To a B. Oak 30 in. dia. in the line,

T. 29 N. R. 3 W. 2nd. New, Ind.

- 6.5, 21.74 To a B. Oak 18 in. dia. in the line,
 40.00 Set the q. sec. cor. post from which
 a B. Oak 18 in. dia. bears at 80° W 54th,
 & a Do. 20 " " " at 53° W 76th dit,
 58.66 To a B. Oak 20 " " in the line,
 80.00 Set a post cor. to sec. 11. 12. 13 & 14 from wh,
 a W. Oak 24 in. dia. bears at 16° W 19th,
 & a B. Oak 24 " " " at 6° E 20th dit,
 Land level dry, bearing & the timber
 is B. & W. Oak &c

- East On Random between sec. 12 & 13,
 80.60 To the E. line of sec. 53th M. S. of post,

- West Correct the line between sec. 12 & 13,
 40.30 Set the q. sec. cor. post from which
 a B. Oak 18 in. dia. bears at 38° E 23th,
 & a Do. 20 " " " at 20° W 40th dit,
 65.30 To a B. Oak 18 " " in the line,
 80.60 To the section corner,

~~~~~  
 Land level wet bearing & the  
 timber is same B & W, Oak &c

## North Between sections 11 &amp; 12

- 6.40 To a B. Oak 24 in. dia. in the line,  
 9.67 " " Do. 18 " " " " "  
 15.74 " " W. Oak 12 " " " " "  
 40.00 Set the q. sec. cor. post from which  
 an Aspen 12 in. dia. bears at 70° W 94<sup>th</sup>,  
 & a Do. 10 " " " at 76° W 95<sup>th</sup>,  
 58.30 To a B. Oak 12 " " in the line,  
 79.89 " " W. Oak 18 " " " " "

T. 29 N. R. 3 W. 2<sup>nd</sup>. New Ind.

Co. L,

80.00 Set a post cor. to sec. 1, 2, 11 & 12 from wh.  
 a W. Oak 10 in. dia. bearing N 30 E 400 lbs. dist.  
 & a Do. " " " " N 81 W 20 " "  
 Land level post wet part dry bearing &  
 3. rate timber saws of any kind,

East On Random between sec. 2 & 11  
 80.00 To the E. line of sec. 11 5 lbs. S. of post,

West Correct the line between sec. 2 & 11  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 18 in. dia. bearing N 45 E 11 lbs. dist.  
 & a Do. 12 " " " N 88 E 30 " "  
 80.00 To the section corner,  
 Land level with bearings & the timber  
 & saw some B. & W. Oak &c. May 20. 1834

North Between sections 1 & 2  
 39.59 To a B. Oak 8 in. dia. in the line  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 8 in. dia. bearing N 86 E 315 lbs. dist.  
 & a Do. 6 " " " N 12 E 200 " "  
 71.59 To the N. boundary, 85 lbs. E. of post,  
 where set post cor. to sec. 1 & 2 from wh.  
 a W. Oak 25 in. dia. bearing S 22 E 13 1/4 lbs.  
 no other bearings near,  
 45 lbs. of this line runs through a flag  
 & ball runn marsh or swamp a few  
 groves of W. & B. Oak &c

North Between sections 34 & 35  
 36.82 To a B. Oak 30 in. dia. in the line  
 40.00 Set the gr. sec. cor. post from which

T. 29 N. R. 3 W. 2<sup>nd</sup> Nov. Ind<sup>a</sup>,

66.45 To a B. Oak 20 in. dia. heavy NW 15<sup>th</sup> M. dist,  
 La Do. 30 " " " " NW 15<sup>th</sup> " "  
 68.45 To a W. Oak 25 in. dia. in the line  
 80.00 Set a post cor. to sec, 26, 27, 34 & 35 -  
 a W. Oak - in. dia. heavy N 5<sup>th</sup> W 49<sup>th</sup> M,  
 dist. and no other near  
 The greater part of this line is sec,  
 rate having & the timber is clear  
 W. & B. Oak & the mud of the Hazel Cr,

East On Random between sections 26 & 35  
 80.00 To the E. line of sec, 130 M. N. of post,

West Correct the line between sections 26 & 35  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 18 in. dia. heavy S 3<sup>th</sup> E 186 M,  
 La M. Oak 20 " " " NW 20<sup>th</sup> " dist,  
 42.40 To a W. Oak 18 " " in the line,  
 80.00 To the section corner,  
 several outc. of this line run through  
 water mid thgt deep ballance is  
 dry, bearing. 3<sup>rd</sup> rate land & the  
 timber is B & W. Oak. & mud, 3<sup>th</sup>,  
 same when there is any,

North Between sections 26 & 27,  
 34.38 To a B. Oak 25 in. dia. in the line  
 40.00 Set the gr. sec. cor. post from wh,  
 a W. Oak 10 in. dia. heavy S 5<sup>th</sup> W 12 M,  
 La B. Oak 18 " " " N 73<sup>th</sup> W 88 "  
 45.26 To a W. Oak 20 " " in the line,  
 63.78 " " W. Oak 25 " " " " "  
 69.00 " " Do. 8 " " " " "



T. 29 N. R. 3 W. 2<sup>nd</sup> New, Ind.

C. L.

80.00 Set a post cor. to sec. 22, 23, 26 & 27,  
a W. Oak 40 in. dia. bearing S 27° E 42 ft. N.,  
Do. 20 " " " S 31° E 54 ft. " dit,  
Land 3. rate & part wet flag swampy  
part dry bearing W. & N. B. Oak &c

East On Random between sec. 23 & 26  
80.10 To the E. line of sec. 48 th. N. of path

West Correct the line between sections 23 & 26  
40.05 Set the corner, cor. post, from which  
a B. Oak 30 in. dia. bears S 70° E 26 ft.,  
a Do. 18 " " " S 49° W 50 " dit,  
44.48 To a B. Oak 20 " " in the line,  
80.10 To the section corner,  
Land wet bearing flag & bullrush  
swampy & a few W. Oaks, B. Oaks, &c,

North Between sections 22 & 23,  
32.63 To a W. Oak 20 in. dia. in the line,  
40.00 Set the corner, cor. post, from which  
a B. Oak 30 in. dia. bears S 71° E 48 ft.,  
a W. Oak 8 " " " S 44° E 79 "  
80.00 Set a post cor. to sec. 14, 15, 20 & 22,  
a Hickory 20 in. dia. bears S 89° E 124 ft.,  
a W. Oak 25 " " " S 57° W 157 " dit,  
Land is mostly wet because & a few  
trees of B. & W. Oak &c

East On Random between sec. 14 & 23,  
80.25 To the E. line of sec. 20 th. N. of path,

West Correct the line between sec. 14 & 23,



T. 29 N. R. 3 W. 2<sup>nd</sup>, Nov. Ind.

- C. L.  
 36.35 To a W. Oak 20 in. dia. in the line,  
 40.12½ Set the q. sec. cor. post from which  
 a W. Oak 20 in. dia. bears N 75 E 466 ft.,  
 56.09 To a Do. 30 " " (no other  
 80.26 To the section corner,  
 Land level last rate mostly flag  
 & bull rush swamp, & the timber where  
 there is any is Oak & Hickory (h. G. Do. &c.)

- North Between sections 14 & 15  
 40.00 Set the q. sec. cor. post from which  
 a B. Oak 18 in. dia. bears S 67 E 9 ft. dist.,  
 & a Do. 20 " " " N 45 E 111 " "  
 31.32 To a W. Oak 20 in. dia. in the line,  
 80.00 Set a post cor. to sec. 10 & 11, 14 & 15 from which,  
 a B. Oak 20 in. dia. bears S 14 E 24 ft. dist.,  
 & a Hickory 6 " " " N 82 W 26 " "  
 Land is mostly level & wet barrens &  
 flag & bull rush swamp, & the timber  
 where there is any is Oak & Hickory

- East On Random between sec. 11 & 14  
 79.58 To the E. line of sec. 10 ft. N. of post,

- West Connect the line between sec. 11 & 14  
 4.92 To a B. Oak 20 in. dia. in the line,  
 39.79 Set the 2d. sec. cor. post from which  
 no bearing - raised mound for cor.,  
 79.58 To the section corner,  
 E½ mile wet barrens & a few trees of  
 W & B Oak W½ is flag & bull rush  
 swamp, mid thigh deep most of the way

T. 29 N. R. 3 W. 2<sup>nd</sup>, New, Ind.,C. L.  
North

Between sections 10 &amp; 11

- 1.72 To a B. Oak 18 in. dia. in the line,  
 21.00 To a W. Oak 25 " " " "  
 40.00 Set the q. sec. cor. post from which  
 a W. Oak 18 in. dia. bears S 59° W 263 M.,  
 & a Do. 20 " " " S 16° W 225 " dist;  
 80.00 Set a post cor. to sec. 3. 3. 10 & 11  
 a B. Oak 20 in. dia. bears S 25° W 218,  
 & a Do. 20 " " " S 15° W 271 M.,  
 The most of this line runs through  
 wet land & some grove of Oak & Hickory

East On Random between sec. 2 & 11  
 79.54 To the E. line of sec. 69 M. N.  
 of post.

West Correct the line between sec. 2 & 11  
 6.80 To a B. Oak 6 in. dia. in the line,  
 28.39 " " Do. 20 " " " "  
 39.77 Set the q. sec. cor. post from which  
 a B. Oak 25 in. dia. bears N 60° E 785 M.,  
 & a Do. 30 " " " S 28° E 69 "  
 79.54 To the section corner, The  
 greater part of this line is wet  
 land, & the timber is W. B. Oak  
 W. G. White & Oak &

North Between sections 20 & 3,  
 19.08 To a W. Oak 35 in. dia. in the line  
 28.48 " " B. Oak 20 " " " "  
 38.35 " " Do. 18 " " " "  
 40.00 Set the q. sec. cor. post from wh,  
 a B. Oak 20 in. dia. bears S 30° W 42 M.,

T. 29 N. R. 3 W. 2<sup>nd</sup> Mer. Ind. c.

C. L.

70.00 A Bl Gum 10 in dia. bears S 72 E 27 1/2 hrs. dist,  
 To the N. boundary, 125 hrs. E of post,  
 & set a post cor. to sec. 2 & 3 from which  
 a B. Oak 25 in dia. bears S 69 E 21 1/4 hrs. dist  
 & a Dr. 23 " " " S 14 W 3 1/4 " "  
 Land here last rate bearing Oak &c,  
 N. G. Oak & Whortlemerry. May 21<sup>st</sup> 1834

North Between sections 33 &amp; 34

17.82 To a Hickory 20 in dia. in the line,

29.16 " " W. Oak 25 " " " " "

40.00 Set the q. m. cor. post from which  
 a W. Oak 20 in dia. bears S 1 E 4 1/2 hrs.  
 & a Dr. 25 " " " S 17 E 40 " "

69.69 To a B. Oak 20 " " in the line,

80.00 Set a post cor. sec. 27, 28, 33 & 34  
 a B. Oak 25 in dia. bears S 5 E 1 1/2 hrs.  
 & a W. Oak 20 " " " S 71 W 76 "

Land here mostly dry bearing 3. rate  
 & the timber is W. & B. Oak N. G. same,

East On Random between sec. 27 &amp; 34

80.00 To the E. line of sec. 50 hrs. S of post

West Connect the line between sec. 27 &amp; 34

40.00 Set the q. m. cor. post from which  
 a W. Oak 8 in dia. bears S 42 E 10 1/2 hrs.

& a B. Oak 20 " " " N 28 E 75 " dist,

80.00 To the sections corner,

the greater part of this line runs  
 through a marshy bottom bearing  
 water in places mid thigh deep  
 & small groves of W. B. Oak & aspen &c,

T. 29 N. R. 3 W. 3<sup>rd</sup> Mer. Ind.<sup>o</sup>

to L. mud, 9th, aspen Whortlebury &amp; Asparagus

North Between sections 27 & 28,  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 25 in. dia. bears S 58° W 59' 11 in. dia.,  
 to a Do. 20 " " " S 84° W 65' " "  
 59.41 to a W. Oak 20 " " with line,  
 70.15 " " Do. 18 " " " " "  
 80.00 Set a post cor. to Secs. 21, 22, 27 & 28,  
 a W. Oak 10 in. dia. bears N 29° E 73' 11 in. dia.,  
 to a Do. 6 " " " N 28° W 93' " "  
 Land level with barney & bull rush  
 swamps in places & a few trees of W & B,  
 Oak, h. G. Oak & Whortlebury &

East On Random between sections 22 & 27  
 79.65 To the E. line of sec. 10 W. Sec. S. of post

West Connect the line between sec. 22 & 27  
 39.82½ Set the gr. sec. cor. post from which  
 a W. Oak 20 in. dia. bears N 73½° W 5.16 in. dia.,  
 to a Do. 30 " " " N 78° W 5.25 "  
 79.65 To the sections corner,  
 The whole of this line runs through  
 a flag & bull rush swamp except  
 a few chains at the W. end thereof  
 which is dry barney & almost destitute  
 of trees of any kind of timber,

North Between sections 21 & 22  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 20 in. dia. bears N 46° E 40' 11 in. dia.,  
 no other near,



T. 29 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

C. L.

50.70 To a B. Oak 18 in. dia. in the line,

66.51 " " Do. 25 " " " "

80.07 Set a post cor. to sec. 15. 16. 21 & 22  
a W. Oak 18 in. dia. bears N 53° W 272 ft.,  
+ a Do. 20 " " " N 32½° W 241 ft.Land greater part wet barney &  
scattering trees of W. & B. Oak &c

East On Random between sec. 15 &amp; 22

80.10 To the E. line of sec. 125 ft. N. of post,

West Connect the line between sec. 15 &amp; 22

40.05 To a W. Oak 30 in. dia. for 1/4 sec. cor.

80.10 To the section corner, Land level  
& most part wet barney & a few  
groves of W. & B. Oak &c

North Between sections 15 &amp; 16

14.74 To a B. Oak 25 in. dia. in the line

31.17 " " Do. 20 " " " "

40.00 Set the gr. sec. cor. post from wh.,  
a W. Oak 30 in. dia. bears N 58° W 22 ft.,  
+ a Do. 20 " " " S 24° W 70 "

47.50 To a B. Oak 25 " " in the line,

80.00 Set a post cor. to sec. 9. 10. 15 & 16  
a B. Oak 25 in. dia. bears S 54° E 210 ft.,  
+ a W. Oak 18 " " " N 10° W 134 "Land level & mostly wet barney  
& a few trees of B & W Oak &c

East On Random between section 10 &amp; 15

79.87 To the E. line of sec. 10 ft. S. of post



T. 29 N. R. 3 W. 2<sup>nd</sup>. Mer. Ind. "b. L.  
West

Correct the line between sec. 10 & 15  
 5.60 To a W. Oak 20 in. dia. in the line,  
 39.93 $\frac{1}{2}$  Set the gr. sec. cor. post from which  
 a B. Oak 12 in. dia. bears  $N 25^{\circ} E$  6.64 ch.,  
 79.87 To the section corner, (= no other  
 land greater part marshy barrens &  
 few trees of W. B. Oak & aspen &c

North Between sections 9 &amp; 10

17.23 To a B. Oak 15 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 20 in. dia. bears  $S 12^{\circ} E$  6.00 ch.,  
 & as other near at that  
 80.00 Set a post cor. to sec. 3.4.9 & 10  
 a B. Oak 25 in. dia. bears  $S 26^{\circ} E$  3.54 ch.,  
 & a Do. 20 " " "  $S 63^{\circ} E$  4.24 " dit,  
 The whole of this line passes through  
 marshy barrens & a few trees of Oak & aspen

East On Random between sections 3 &amp; 10

80.00 To the E. line of sec. at post

West

Correct the line between sec. 3 & 10  
 35.04 To a W. Oak 8 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 8 in. dia. bears  $S 75^{\circ} E$  3.4 ch. dit,  
 & a B. Oak 15 " " "  $N 1^{\circ} W$  35 " "  
 80.00 To the section corner,  
 Two thirds of this line runs through  
 marshy barrens, & flag & bullrush swampy  
 the residue is dry barrens Oak & 3<sup>rd</sup> rate

North Between sections 3 &amp; 4, T. 29 N. R. 3 W.

T. 29 N. R. 3 W. 2<sup>nd</sup> Mer, Ind<sup>ca</sup>

C. L.

40.00 Set a gr. sec. cor. in pond mid thigh deep in water & no bearings,

48.83 To an aspen 10 in. dia. in the line,

64.06 To the S. boundary 106 M. E. of post,  
where set a post cor. to Secs. 3 & 4  
an aspen 9 in. dia. bears S 10 W 89 M. dia.,  
& a B. Oak 10 " " " S 21 W 140 " "  
the whole of this line runs through a  
flag & bull rush swamp & groves of aspens,  
May 22<sup>nd</sup>. 1834. R. Hanna & D. S.

North Between sections 32 & 33,

15.87 To a Hickory 20 in. dia. in the line,

22.71 " " B. Oak 30 " " " " "

40.00 Set the gr. sec. cor. post from which  
a B. Oak 20 in. dia. bears S 55 $\frac{1}{2}$  E 221 M. dia.,  
& a Do. 25 " " " N 35 E 309 " "

52.15 To a B. Oak 25 " " in the line,

80.00 Set a post cor. to Secs. 28, 29, 32 & 33,  
a B. Oak 20 in. dia. bears S 7 $\frac{1}{2}$  W 425 M. dia.,  
& a Do. 25 " " " S 58 W 580 " "

Land is mostly wet barrens & a few groves  
of W. B. Oak & flag & bull rush swampy

East On Random between sections 33 & 28

80.43 To the E. line of Secs. 10 M. N. of post,

West Correct the line between Secs. 28 & 33

22.05 To a B. Oak 25 in. dia. in the line

40.21 $\frac{1}{2}$  Set the gr. sec. cor. post from which  
a B. Oak 23 in. dia. bears S 80 $\frac{1}{2}$  W 329 M.,  
& a Do. 30 " " " S 83 W 333 "

80.43 To the sections corner,

T. 29 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Sec. 2. East  $\frac{1}{2}$  mile dry barren, 3<sup>rd</sup> rate land  
 W $\frac{1}{2}$  flag mark a swamp & W. Oak timber,

North Between sections 28 & 29

- 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 30 in. dia. bears S 28 W 203 M. dia.,  
 & a Dr. 20 " " " N 81  $\frac{1}{2}$  E 107 " "  
 55.75 To a B. Oak 20 " " in the line,  
 80.00 Set a post cor. to sec., 20, 21, 28 & 29  
 a W. Oak 18 in. dia. bears S 87 W 350 M. dia.,  
 no other near as that. Land mostly  
 swamp waist deep in water & the timber  
 aspen B. Gum Oak & in groves,

East On Random between sections 21 & 28  
 80.30 To the E. line of sec., 34 M. S. of post,

- West corner the line between sec. 21 & 28,  
 28.80 To a B. Oak 20 in. dia. in the line,  
 40.15 Set the gr. sec. cor. post from which  
 no bearings were taken. in pond  
 46.15 To a B. Oak 25 in. dia. in the line,  
 80.30 To the sections corner,  
 This line is on the margin of a large  
 pond. water waist deep in places a few  
 groves of aspen Oak & "

- North Between sections 20 & 21. T. 29 N. R. 3 W  
 32.12 To a W. Oak 20 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 20 in. dia. bears S 4  $\frac{1}{2}$  E 788 M.,  
 & no other as near as that,  
 80.00 Set a post cor. to sec., 16, 17, 20 & 21,

Comp<sup>d</sup>

T. 29 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.

6. L. a W. Oak 12 in. dia. bears S 75° W 93 M. dist.  
 & a Do. 18 " " " S 43½° W 46 " "  
 Land level wet bearing timber scarce  
 of B. Oak & W. Oak &c

East On Random between sections 16 & 21  
 80.00 To the E. line of sec. 56 M. S. of post

West Correct the line between sections 16 & 21  
 40.00 Set the q. sec. cor. post from which  
 a W. Oak 12 in. dia. bears S 65½° W 2 M.,  
 & a B. Oak 12 " " " S 62° E 18 "  
 80.00 To the section corner, Land level  
 bearing the timber is scarce & B. & W. Oak &c

North Between sections 16 & 17,  
 40.00 Set the q. sec. cor. post from which  
 a W. Oak 12 in. dia. bears S 63½° W 177 M. dist.,  
 & a Do. 10 " " " S 30½° W 179 " "  
 48.83 To a B. Oak 24 " " in the line,  
 80.00 Set a post cor. to sec. 8. 9. 16 & 17,  
 an aspen 6 in. dia. bears N 11½° W 583 M. dist.,  
 & a Do. 12 " " " N 5° W 580 " "  
 Land level wet bearing timber scarce oak,  
 Bl. & white, &c. May 26<sup>th</sup> 1834.

East On Random between sections 9 & 16  
 80.11 To the E. line of sec. 12 M. S. of post,

West Correct the line between sec. 9 & 16  
 5.13 To a B. Oak 30 in. dia. in the line,  
 40.05½ Set the q. sec. cor. post from which  
 a W. Oak 18 in. dia. bears S 30° W 73 M. dist.



T. 29 N. R. 3 W. 2<sup>nd</sup> Mer. Ind. a

C. L. & B. Oak 24 in. dia. bears S 4 W 94 ths. dist,  
80.11 To the section corner, Land level banner,  
& the timber same Bl. & W. Oak &

North Between sections 8 & 9 T 29 N R 3 W  
7.20 To a W. Oak 12 in. dia. in the line,  
40.00 Set the gr. sec. cor. post from which  
an aspen 10 in. dia. bears N 22 E 100 ths. dist,  
& a Do. 12 " " " N 4 E W 71 " "  
80.00 Set a post cor. to sec. 4, 5, 8 & 9 from wh.  
a W. Oak 18 in. dia. bears N 60 E 11.81 ths,  
no other. Land level marshy prairie  
& groves of W. & B. Oak &

East On Random between sections 4 & 9  
80.00 To the E. line of sec. 50 ths. S. of post

West Correct the line between sec. 4 & 9  
40.00 Set the gr. sec. cor. post from which  
a B. Oak 18 in. dia. bears N 87 E 515 ths. dist,  
& a Do. 16 " " " N 76 E 500 " "  
80.00 To the section corner,  
Land level small groves Oak & aspen &

North Between sections 4 & 5 T 29 N R 3 W  
40.00 Set the gr. sec. cor. post from which  
a B. Oak 20 in. dia. bears N 9 W 384 ths. dist,  
& a Do. 20 " " " N 1 E 390 " "  
70.11 To the N. boundary .52 ths. E. of post,  
& set a post cor. to sec. 4 & 5 from which  
a B. Oak 18 in. dia. bears S 33 W 168 ths. dist,  
no other near as that  
Land level wet prairie & small groves of

T. 29 N. R. 3 W. 2<sup>d</sup>, Mon. Ind.

C. L.

W. Oak &c. May 27<sup>th</sup> 1834. —

North Between sections 31 & 32, T. 29 N. R. 3 W.  
 17.48 To a Hickory 18 in. diam. in the line,  
 40.00 Set the gr. sec. cor. post from which  
     a B. Oak 36 in. diam. bears N 52 $\frac{1}{2}$  W 207 $\frac{1}{2}$  ft.,  
     & a Do. 24 " " " N 71 $\frac{1}{2}$  W 193 "  
 13.97 To a Hickory 18 " " in the line,  
 71.10 " " W. Oak 20 " " " " "  
 80.00 Set a post cor. to Secs. 29, 30, 31 & 32,  
     a B. Oak 30 in. diam. bears S 61 $\frac{1}{2}$  W 614 ft. dist.,  
     & a Do. 24 " " " N 58 W. 31 " "  
 Land level & dry barrens & the timber;  
 B. Oak W Oak & Hickory &c

East On Random between sections 29 & 32.  
 80.68 To the E. line of Secs. 59 ft. S. of post,

West Correct the line between Secs. 29 & 32  
 5.78 To a W. Oak 20 in. diam. bears in the line,  
 19.35 " " Do. 20 " " " " "  
 40.34 Set the gr. sec. cor. post from which  
     a W. Oak 20 in. diam. bears S 21 $\frac{1}{2}$  E 51 ft. dist.,  
     a Do. 24 " " " N 87 $\frac{1}{2}$  W 143 " "  
 46.64 To a B. Oak 20 " " in the line,  
 49.43 " " Do. 20 " " " " "  
 54.01 " " Do. 24 " " " " "  
 80.68 To the sections corner,  
 Land level dry barrens 2<sup>d</sup> rate & covered  
 of timber & B & W. Oak &c where there is any

West On Random between Secs. 30 & 31  
 81.86 To the W. boundary 74 ft. S. of post,

T. 29 N. R. 3 W. 2<sup>nd</sup>. Mer. Ind<sup>a</sup>.

Co. L.

- East Correct the line between sections 30 & 31  
 41.02 To a W. Oak 18 in. dia. in the line,  
 41.86 Set the gr. sec. cor. post from which  
 a B. Oak 10 in. dia. bears S 80 E 170 th. dist.,  
 & a Do. 6 " " " S 45 E 173 " "  
 80.89 To a B. Oak 18 " " in the line,  
 81.86 To the sections corner, Land level dry  
 barrens & the timber is scarer groves of Oak &c.

North Between sections 29 &amp; 30

- 10.80 To a W. Oak 10 in. dia. in the line,  
 27.65 " " B. Oak 24 " " " " "  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 24 in. dia. bears N 15 E 183 th.,  
 & a B. Oak 10 " " " N 16 E 173 " "  
 44.85 To a B. Oak 24 " " in the line,  
 80.00 Set a post cor. to sections 19.20.29 & 30,  
 a B. Oak 24 in. dia. bears S 73 E 138 th. dist.,  
 & a Do. 20 " " " S 73 E 176 " "  
 Land level generally dry barrens & the  
 timber is Bl. & W. Oak &c.

East On Random between sections 20 & 29  
 80.70 To the E. line of sec. at the post,

West Correct the line between sec. 20 &amp; 29

- 40.35 Set the gr. sec. cor. post from which  
 a W. Oak 18 in. dia. bears N 65 E 57 th. dist.,  
 & a B. Oak 20 " " " S 75 E 50 " "  
 44.22 To a B. Oak 24 " " in the line,  
 73.77 " " Do. 30 " " " " "  
 80.70 To the sections corner,  
 Land level dry barrens & the timber

392

T. 29 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

C. L.

i Black & White Oak &c

West On Random between sections 19 & 20  
81.99 To the W. boundary, 71 Mts. S. of post,

East Correct the line between sec. 19 & 20  
41.99 Set the gr. sec. cor. post from which  
a Bl. Oak 24 in. dia. is corner tree

42.04 To a Bl. Oak 2 " " in the line,

69.35 " " Do. 36 " " " "

81.99 To the section corner,

Land principally dry barrens & the  
timber is Bl. Oak & W. Oak & the red, etc.,  
i Bl & White Oak where there is any,

North Between sections 19 & 20, T 29 N R 3

26.12 To a W. Oak 20 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which  
a W. Oak 20 in. dia. bears N 74° W 41 Mts. dist.  
& a Bl Oak 40 " " " N 2° W 33 " "

80.00 Set the post cor. to sec. 17, 18, 19 & 20  
a Bl Oak 15 in. dia. bears S 76° E 4 Mts. dist.,  
& a W. Oak 12 " " " S 63 1/2° W 16 " "

Land level & dry barrens & the timber  
is scarce of W. & Bl. Oak &c

East On Random between sections 17 & 20  
79.95 To the E. line of sec. 30 Mts. S. of post

West Correct the line between sec. 17 & 20

3.65 To a Bl. Oak 24 in. dia. in the line,

39.97 1/2 Set the gr. sec. cor. post from which  
a Bl. Oak 24 in. dia. bears S 26° W 4 Mts. dist.,



T. 29 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

6. L. To B. Oak 6 in. dia. bears N 49° W 25<sup>th</sup> M.,  
 79.95 To the section's corner. Land level &  
 wet during the timber is scarce & small  
 groves of W. Oak &c.

West On Random between sections 18 & 19  
 82.58 To the West boundary, 74 M. S. of post,

East Correct the line between sec. 18 & 19  
 42.58 Set the q. sec. cor. post from which  
 a B. Oak 12 in. dia. bears S 77° E 361 M.,  
 & a Do. 6 " " " S 85° E 86 "  
 82.58 To the section's corner,  
 Land level W & will wet & the E is  
 dry prairie. small groves of W. Oak  
 & B. Oak &c. May 28<sup>th</sup> 1834.

North Between sections 17 & 18, T. 29 N. R. 3 W.  
 2.00 To a B. Oak 24 in. dia. in the line,  
 29.75 " " W. Oak 20 " " " " "  
 40.00 Set the q. sec. cor. post from wh.,  
 a W. Oak 20 in. dia. bears S 76° E 660 M.,  
 & a Do. 20 " " " S 1 1/2° E 6.00 a 1/2 in.,  
 80.00 Set a post cor. to Secs. 7, 8, 17 & 18,  
 a B. Oak 18 in. dia. bears N 50 1/2° W 39 M.,  
 & a Do. 12 " " " S 51 1/2° E 67 "  
 Land level flat wet dry during the  
 timber is scarce of any kind,

East On Random between sec. 8 & 17  
 80.44 To the E. line of sec. 3 M. N. of post,

West Correct the line between sec. 8 & 17

T 29 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

C. L.

40.22 Set the sec. cor. post from which  
a B. Oak 10 in. dia. bears N 1 E 5 11 1/2 m. dist,  
& a W. Oak 6 " " " S 82 W 4 3/4 " "

80.44 To the section corner,  
Land level wet barney & groves of W  
Oak Black Oak & ~~~~~

West Between sections 7 & 18, (Random,)  
83.58 To the ~~W~~ line of sec. & West Boundary,  
22 m. S. of post

East On correction line between sec. 7 & 18  
43.58 Set the gr. sec. cor. post from which  
a W. Oak 24 in. dia. bears S 8 1/2 W 3 8 1/4 m.,  
& a Do. 36 " " " N 76 E 1 7/4 " dist,  
82.73 To a B. Oak 20 " in the line,  
83.58 To the section corner,  
Land level wet barney & scarce of timber,  
small groves of B & W Oak & ~~~~~

North Between sections 7 & 8, T 29 R 3  
3.08 To a B. Oak 18 in. dia. in the line,  
22.11 " " Do. 12 " " " " "  
40.00 Set the gr. sec. cor. post from which  
a B. Oak 36 in. dia. bears S 70 W 2 35 m.,  
& a Do. 20 " " " S 47 W 2 87 "  
80.00 Set a post cor. to sec. 5, 6, 7 & 8, from which,  
an aspen 12 in. dia. bears N 4 1/2 E 7 30 m.,  
no other near. Land generally wet  
prairie small groves of W. & B. Oak & ~~~~~

East On Random between sec. 8 & 5  
80.34 To the line of sec. at post,

T. 29 N. R. 3 W. 2<sup>nd</sup>, Mer. Ind<sup>a</sup>,

Cor. L.  
West Correct the line between sec. 5 & 8,  
40.17 Set the gr. sec. cor. post from which  
a W. Oak 18 in. dia. bears S 9 W 14 1/2 W. 2 1/2  
& a B. Oak 12 " " " N 53 E 13 " "  
80.34 To the section corner, Land level &  
marshy prairie & small Oak & aspen grove

---

West On Random between sections 6 & 7  
84.58 To the W. boundy. of sec 73 W. S. of post

---

East Correct the line between sec. 6 & 7  
24.34 To a B. Oak 24 in. dia. in the line,  
44.58 Set the gr. sec. cor. post from which  
a B. Oak 12 in. dia. bears S 11 E 14 1/2 W. 2 1/2  
& a W Oak - " " " N 1/2 E 155 " "  
84.58 To the section corner,  
Land level & wet bays small grove  
of W & B. Oak &c

---

North Between sections 5 & 6 T. 29 N. R. 3  
40.00 Set the gr. sec. cor. post from wh.  
a B. Oak 24 in. dia. bears N 87 W 7 1/2 W.  
& a B. 20 " " " S 40 W 75 "  
73.06 To the N. boundy. 67 W. E. of post,  
where set a post cor. to sec. 5 & 6,  
a B. Oak 12 in. dia. bears S 50 W 82 1/2 W.  
& no other tree near,  
Land level wet prairie small grove  
B. & W. Oak &c. May 29<sup>th</sup> 1834.

---

General Description  
This township has not one acre of  
good land in it & very few that derive

T. 29 N. R. 3 W. 2<sup>nd</sup> Mer. Ind. <sup>396</sup>

C. L. deserves the name of third rate,

A true copy from the original  
except the closing certificate.

Robert Hanna Dep. Sur,

Meanders of Tappan River,  
on Left bank & down stream,

| Course               | C. L. | Remarks,                                       |
|----------------------|-------|------------------------------------------------|
| S 54 $\frac{1}{2}$ W | 5.50  | In sec. 36                                     |
| S 62 $\frac{1}{2}$ W | 5.00  |                                                |
| S 55 W               | 11.13 |                                                |
| S 45 W               | 6.71  |                                                |
| S 58 $\frac{1}{2}$ W | 5.62  |                                                |
| S 41 $\frac{1}{2}$ W | 6.54  |                                                |
| S 35 W               | 4.53  |                                                |
| South                | 4.94  | To an island                                   |
| S 2 W                | 3.86  |                                                |
| S 14 W               | 6.25  |                                                |
| S 19 $\frac{1}{2}$ W | 2.97  |                                                |
| S 42 W               | 5.65  |                                                |
| S 21 $\frac{1}{2}$ W | 16.09 | To town line between 28 & 29<br>N. Range 3, W, |

Meanders of Tappan River  
on Right bank, down stream  
In sec. 36

To a creek 1 ch. wide,



397

T. 29 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.

|            |       |                                      |
|------------|-------|--------------------------------------|
| Course     | C. L. | Meanders Continued of                |
| S 3 1/2 W  | 5.57  | Lippecanood River,                   |
| S 30 1/2 W | 6.53  | January 11 <sup>th</sup> 1835,       |
| S 19 1/2 W | 7.57  |                                      |
| S 10 1/2 W | 9.45  | To town line betw <sup>n</sup> Lowry |
|            |       | 28 & 29 N. R. 3 W. -                 |
|            |       | Meanders finished.                   |

---

398

T. 29 N. R. 3 W. 2<sup>nd</sup>, New Ind<sup>a</sup>,

I certify that the foregoing ~  
transcript of field notes of Town-  
ship 29 North Range 3 West, of 2<sup>nd</sup>  
Meridian in Indiana, has been ~  
compared with the original in this  
office, & found to be correct.

E. D. Haines  
Sur. Gen.

Surveyor General's office,  
Cincinnati. March 31<sup>st</sup> 1842.